

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/876,690	09/876,690 06/07/2001		Brian Collamore	US010390 8205	
24737	7590	04/06/2006		EXA	MINER
		CTUAL PROPER	TOMASZEWSKI, MICHAEL		
P.O. BOX 3001 BRIARCLIFF MANOR, NY 10510				ART UNIT	PAPER NUMBER
		•		2/2/	

DATE MAILED: 04/06/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

·					
	Application No.	Applicant(s)			
Office Action Commence	09/876,690	COLLAMORE ET AL.			
Office Action Summary	Examiner	Art Unit			
	Mike Tomaszewski	3626			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
 Responsive to communication(s) filed on 17 Ja This action is FINAL. 2b) This Since this application is in condition for allowant closed in accordance with the practice under E 	action is non-final. ace except for formal matters, pro				
Disposition of Claims					
 4) ☐ Claim(s) 1-10,12-16 and 18 is/are pending in the day Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-10,12-16 and 18 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or 	vn from consideration.				
Application Papers					
9) ☐ The specification is objected to by the Examiner 10) ☑ The drawing(s) filed on 17 January 2006 is/are: Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction of the option of the correction of the option of	a)⊠ accepted or b)⊡ objected drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s) 1) Motice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

DETAILED ACTION

Notice To Applicant

1. This communication is in response to the application filed on 6/7/2001. Claims 1-10, 12-16, 18, and 19-21 are pending. Claims 1, 3-7, 9-10, 12-13, 15-16, and 18 have been amended. Claims 19-21 are newly added. Claims 11 and 17 have been cancelled.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-10, 12-16, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Judd et al. (US 2002/0087503; hereinafter Judd), in view of Rapaport et al. (6,192,112; hereinafter Rapaport).

(A) Claims 1, 7, and 13 have been amended to include the following limitations:

(1) informing a user of arrival of new information while the user is reviewing a

Page 3

study to which the new information corresponds.

Judd, however, fails to expressly disclose these limitations. Nevertheless, these

limitations are well known and obvious, as evidenced by Rapaport. In particular,

Rapaport discloses:

(1) informing a user of arrival of new information while the user is reviewing a

study to which the new information corresponds (Rapaport: abstract; col.

37, lines 55-62).

One of ordinary skill in the art would have found it obvious at the time of the

invention to combine the teachings of Rapaport with the teachings of Judd with the

motivation of providing effective and timely communication of medical information to

pertinent parties; and to provide efficient medical information management (Rapaport:

col. 1, lines 52-67 and col. 2, lines 1-5).

(B) Claims 2-6, 8-10, 12, 14-16, and 18 are rejected for substantially the same

reasons given in the previous Office Action and incorporated herein.

- 4. Claims 19-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Judd in view of Rapaport as applied to claims 1, 7 and 13 above, and further in view of Myers et al. (5,832,450; hereinafter Myers)
- (A) As per newly added claim 19, Judd fails to expressly disclose the medical information management system of claim 1, wherein the computer is configured to inform the user of the arrival of the new information in response to addition of the new information to the study.

Nevertheless, these features are old and well known in the art, as evidenced by Myers. In particular, Myers discloses the medical information management system of claim 1, wherein the computer is configured to inform the user of the arrival of the new information in response to addition of the new information to the study.

One of ordinary skill in the art would have found it obvious at the time of the invention to combine the teachings of Myers with the combined teachings of Judd and Rapaport with the motivation of providing an efficient medical record system (Myers: col. 2, lines 35-39).

(B) Claims 20 and 21 substantially repeat the same limitations of claim 19 and therefore, are rejected for the same reasons given for claim 19 and incorporated herein.

Application/Control Number: 09/876,690 Page 5

Art Unit: 3626

Response to Arguments

5. Applicant's arguments with respect to claims 19-21 have been considered but are most in view of the new ground(s) of rejection.

- 6. Applicant's arguments filed 1/17/06 have been fully considered but they are not persuasive. Applicant's arguments will be addressed hereinbelow in the order in which they appear in Applicant's response.
- (A) On page 15 of the 1/17/06 response Applicant argues Judd teaches, "the physician does not have to wait by the imaging equipment for the image completion." On page 16 of the 1/17/06 response Applicant argues further that "viewing the images at the same time as reading the written report is not the same, and different from, informing the user of arrival of the new information when the user is reviewing the study."

In response, Examiner respectfully submits that a claim containing a "recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus" if the prior art apparatus teaches all the structural limitations of the claim. *Ex parte Masham*, 2 USPQ2d 1647 (Bd. Pat. App. & Inter. 1987) (The preamble of claim 1 recited that the apparatus was "for mixing flowing developer material" and the body of the claim recited

Application/Control Number: 09/876,690

Art Unit: 3626

"means for mixing ..., said mixing means being stationary and completely submerged in the developer material". The claim was rejected over a reference which taught all the structural limitations of the claim for the intended use of mixing flowing developer.

However, the mixer was only partially submerged in the developer material. The Board held that the amount of submersion is immaterial to the structure of the mixer and thus the claim was properly rejected.). See MPEP § 2114.

Page 6

Furthermore, Examiner notes that Applicant's invention includes no structure that prevents the user, upon returning to the computer workstation after momentarily walking away, from being informed of the arrival of new information. Put another way, whether a user remains seated at the computer workstation to view the study or whether the user walks away is a function of the user and <u>not</u> a function of the system.

Lastly, although Judd does not require a user to wait by the computer workstation in order to be informed of the arrival of new information, a user may remain at the computer workstation, if so desired, and be informed of the arrival of new information.

7. The prior art made of record and not relied upon is considered pertinent to Applicant's disclosure. The cited but not applied art teaches a modular microprocessor-based diagnostic measurement apparatus and method for psychological conditions (5,940,801).

Application/Control Number: 09/876,690

Art Unit: 3626

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Page 7

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mike Tomaszewski whose telephone number is (571)272-8117. The examiner can normally be reached on M-F 7:00 am - 3:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Thomas can be reached on (571)272-6776. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/876,690

Art Unit: 3626

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MT NO

SUPERVISORY PATENT EXAMINER

Page 8